Br-blocks plugin for WordPress editors

Br-blocks plugin for WordPress editors

Introduction

This plugin provides access to a collection of blocks, using ITU Branding, for desktop publishing editors and Wordpress contributors.

ITU-R
Accordion

ITU-R Block |
The prelude
block

ITU-R Cards
Modal

ITU-R Code
Editor

ITU-R
Floorplan

ITU-R Tabs

ITU-R YouTube
Playlist

Structure

The block structure used is the same structure that WordPress offers for creating multiblock.

```
/wp-content/plugin/br-blocks/
├── br-blocks.php
├── src/
│   ├── block/
│   │   ├── accordion/
│   │   │   ├── block.js
│   │   │   ├── index.js
│   │   │   ├── save.js
│   │   │   ├── view.js
│   │   │   ├── editors.scss
│   │   │   ├── style.scss
│   │   ├── cads-modal/
│   │   │   ├── block.js
│   │   │   ├── index.js
│   │   │   ├── save.js
│   │   │   ├── view.js
│   │   │   ├── editors.scss
│   │   │   ├── style.scss
│   │   ├── code-editor/
│   │   │   ├── block.js
│   │   │   ├── index.js
│   │   │   ├── save.js
│   │   │   ├── view.js
│   │   │   ├── editors.scss
│   │   │   ├── style.scss
│   │   ├── floorplan/
│   │   │   ├── block.js
│   │   │   ├── index.js
│   │   │   ├── save.js
│   │   │   ├── view.js
│   │   │   ├── editors.scss
│   │   │   ├── style.scss
│   │   ├── tabs/
│   │   │   ├── block.js
│   │   │   ├── index.js
│   │   │   ├── save.js
│   │   │   ├── view.js
│   │   │   ├── editors.scss
│   │   │   ├── style.scss
│   │   ├── youtube-playlist/
│   │   │   ├── block.js
│   │   │   ├── index.js
│   │   │   ├── save.js
│   │   │   ├── view.js
│   │   │   ├── editors.scss
│   │   │   ├── style.scss
├── block.json
└── package.json
```

Installation and updates

Br-Blocks
Deactivate

A collection of ITU-R blocks for WordPress. [ITU-R Accordion] - [ITU-R Code-Editor] - [ITU-R Cards-Modal] - [ITU-R Tabs] - [ITU-R YouTube Playlist]

Version 1.0.1 | By Mitch Gaillard | ITU-R (BrWeb)

Method 1: Manual Upload

1. Download the plugin's ZIP file from a trusted source.

2. Log in to your WordPress dashboard.

3. Go to "Extensions" -> "Add" -> "Upload Extension".

4. Choose the ZIP file and click "Install Now".

5. Activate the plugin after installation1.

Method 2: Using an FTP Client

1. Download and extract the ZIP file of the plugin to your computer.

2. Connect to your server via an FTP client (such as FileZilla).

3. Upload the plugin folder to the /wp-content/plugins/ directory.

4. Go to your WordPress dashboard, then "Plugins" and activate the plugin1.

Version

The current version of the plugin is 1.0.1.

This is the first version deployed in PROD at various ITU-R sites.

Required for the proper functioning of the plugin

WordPresse   6.6

PHP   7.2

License

GPL-2.0-or-later

Block versions

Accordion	1.1.0	(Style correction)
Cards Modal	1.1.0	(Bug Fix)
Code Editor	1.1.0	(Stable version)
Tabs	1.0.0	(Console bug fixes)
Youtube Player	1.1.0	(Added column view)

List of Blocks

Block Lists added by the Br-Blocks Plugin

Accordion

To use this block, simply click on the "+" button in the WordPress editor and select the block.

Once the Block is inserted, it appears as follows in the edit area:

The block has a box for the title and a box for the content.

The block also offers different settings that can be edited in the right-hand "Block Settings" menu

Open / Close
Display the accordion open or closed when the page is opened in Frontend

Title Tag
Manage the size of the title from H2 to H4

HTML Anchor
Assign an Anchor to the selected block to be able to call it directly from a url. (e.g. www.itu.int/nom_page/#nom_accordéon)

Show Title
Enabled by default. It allows you to hide the title. This can also be used to nest blocks one below the other on a page and to show them only when an HTML Anchor is called.

Overview of the Frontend

Cards Modal

To use this block, simply click on the "+" button in the WordPress editor and select the block.


ITU-R Cards
Modal

Once the Block is inserted, it appears as follows in the edit area:

This Block has three zones. A title box, a description box and a box for the content visible when selecting "add content"

Add Content (in Modal)

This Block accepts the insertion of any type of WordPress content and element.

Overview of the open modal block in Frontend

Code Editor

To use this block, simply click on the "+" button in the WordPress editor and select the block.

ITU-R Code Editor

Once the Block is inserted, it appears as follows in the edit area:

// add your code here

Tags <script> and <style> are not necessary

This block allows editing of Java, jQuery, and CSS scripts.

By default, WordPress remove script and style tags in the built-in editor for users who don't have "Super Admin" rights

To avoid changing security rules in wp-config. The rule allowing the editor and contributor to be able to open a page without these tags skipping has been introduced in the plugin.

In the block settings, it is important to select the language used so that the script generates the right

Script Options

SELECT SCRIPT

JavaScript

JavaScript
jQuery
CSS

Floorplan

To use this block, simply click on the "+" button in the WordPress editor and select the block.


ITU-R Floorplan

Once the Block is inserted, it appears as follows in the edit area:

This block has a field for the title of the Category, a field for the title of the different pieces, a field for the images and a field for the description

In the block settings in the right-hand menu, it is also possible to add a category to add other parts.

Frontend Block Overview

Tabs

To use this block, simply click on the "+" button in the WordPress editor and select the block.


ITU-R Tabs

Once the Block is inserted, it appears as follows in the edit area:

In the block settings it is possible to change the display, Horizontal or Vertical

Frontend Block Overview

YouTube Playlist

To use this block, simply click on the "+" button in the WordPress editor and select the block.


Once the Block is inserted, it appears as follows in the edit area:

The block has a box for the title, a box for the url of the youtube video.

In the block settings it is possible to change the display of the Frontend

Frontend Overview (3 Columns)